


Product identification		PINE PLYWOOD EN 636-2 G										
Product Types		9mm	12mm	15mm	18mm	20mm	21mm	22mm	24mm	27mm	30mm	
Intended uses		Internal or External use as non-structural components in humid conditions										
Name and contact address of the manufacturer		Nereu Rodrigues & Cia Ltda Rod. Br. 116 - Km 222 - Área Industrial III CEP: 88535-000 - Correia Pinto - Santa Catarina - Brazil Phone: +55 49 3243 1206 or +55 49 3243 2294 Email: contato@nereurodrigues.com.br										
Mill identification		Madeireira Rodrigues										
Harmonized standard		EN 13986:2004										
AVCP System		4										
Essential characteristics		Declared performance				Technical Specification						
Release of formaldehyde		E1 (phenolic resin bonded)				EN 13986 Annex B Note 2						
Bond quality		Class 3				EN 314-1/2 Type testing						
Density		525 Kg/m ³				EN 323 Type testing						
Reaction to fire		D-s2, d0				EN 13986 Table 8						
Water vapour permeability		Wet - 70 μ / Dry - 200 μ				EN 13986 Table 9						
Airborne sound insulation		R = 13 x lg (mA) + 14				EN 13986 part 5.10						
Sound absorption coefficient		0,10 / 0,30				EN 13986 Table 10						
Thermal conductivity		0,13 W/(m.K)				EN 13986 Table 11						
Content of pentachlorophenol		< 5 ppm				EN 13986 part 5.18						
Biological durability		Class 2				EN 335 / EN 1099						
Dimensional tolerances		Declared performance				Technical Specification						
Length and width		+0 / -3.0mm				EN 324-2						
Squareness		+/- 1.0 mm/m										
Straigthness		+/- 1.0 mm/m										
Thickness		See below per Type				EN 324-1 / EN 315 / EN 12871						
		Product Type	9mm	12mm	15mm	18mm	20mm	21mm	22mm	24mm	27mm	30mm
		Maximum (mm)	10,1	13,2	16,3	19,3	21,4	22,4	23,5	25,5	28,6	31,6
		Minimum (mm)	8,3	11,2	14,2	17,1	19,0	20,0	20,9	22,9	25,8	28,8
Essential characteristics		Declared performance				Technical Specification						
Bending properties		See below per Type				EN 310 Type testing						
		Type	9mm	12mm	15mm	18mm	20mm	21mm	22mm	24mm	27mm	30mm
Bending strength (N/mm ²)		Fk, 0	33,1	30,4	33,9	44,5	29,8	37,4	25,1	29,7	24,1	33,4
		Fk, 90	6,9	17,1	21,9	22,7	19,0	26,7	18,8	22,3	19,1	30,5
Place and date of issue		Issued by				Signature						
Correia Pinto, July 1st, 2013.		Sergio Roni Rodrigues Administrative Partner										




**Declaration of Performance
CE Marking
No. MR01/PP/13/CE4**



Product identification	PINE PLYWOOD EN 636-2 G
-------------------------------	-------------------------

Product Types	9mm	12mm	15mm	18mm	20mm	21mm	22mm	24mm	27mm	30mm
----------------------	-----	------	------	------	------	------	------	------	------	------


Nereu Rodrigues & Cia Ltda Rod. Br. 116 - Km 222 Correia Pinto - SC - Brazil 08 DoP No. MR01/PP/13/CE4
EN 13986:2004 Bond Class 3 E1
Pine Plywood EN 636-2 G XX mm

CE Symbol

Manufacturing plant

Year of CE Marking

Declaration of Performance


Harmonized standard

Bond quality

Release of formaldehyde

Product identification

Product type

Place and date of issue	Issued by	Signature
Correia Pinto, July 1st, 2013.	Sergio Roni Rodrigues Administrative Partner	



REACH Statement
No. MR01/PP/13/CE4



Product identification	PINE PLYWOOD EN 636-2 G
-------------------------------	-------------------------

Product Types	9mm	12mm	15mm	18mm	20mm	21mm	22mm	24mm	27mm	30mm
----------------------	-----	------	------	------	------	------	------	------	------	------

Name and contact address of the manufacturer	Nereu Rodrigues & Cia Ltda Rod. Br. 116 - Km 222 - Área Industrial III CEP: 88535-000 - Correia Pinto - Santa Catarina - Brazil Phone: +55 49 3243 1206 or +55 49 3243 2294 Email: contato@nereurodrigues.com.br
Mill identification	Madeiraira Rodrigues

In compliance to:

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Article 33 – Duty to communicate information on substances in articles

And acknowledging the:

Candidate List of Substances of Very High Concern for Authorization (published in accordance with Article 59 (10) of the REACH Regulation). Last updated: 20 June 2013 to contain 144 substances.

We hereby state that:

1. We are the ARTICLE producer of above mentioned product.
2. The above mentioned product is softwood plywood made solely of softwood veneers and bonded with phenol-formaldehyde resin, and is not treated with any chemicals.
3. The above mentioned product is an ARTICLE which do not contain more than 0.1% of any of the SUBSTANCES of the SVHC list.
4. Notification is not required for this ARTICLE.

Place and date of issue	Issued by	Signature
Correia Pinto, July 1st, 2013.	Sergio Roni Rodrigues Administrative Partner	