



Certificate of constancy of performance
according AVCP system 1

MPA Eberswalde

Materialprüfanstalt
Brandenburg GmbH

0763-CPR-6075

Prüfung, Überwachung,
Zertifizierung, Gutachten,
Forschung und Entwicklung

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Plywood PAGED FR SOFTWOOD+ acc. EN 636 for use as structural components in humid conditions for walls and roofs,
technical class EN 636-2 S from pine, pine and / or birch,
Nominal thickness ≥ 12 mm and density: $570 \text{ kg/m}^3 - 720 \text{ kg/m}^3$,
class of reaction to fire acc. to EN 13501-1: B – s1, d0,
This classification is valid for the following end use conditions:
mechanically fixed on metal profile substructure, mounted on gypsum plasterboard (Thickness $12 \text{ mm} \pm 0,5 \text{ mm}$, Density $700 \text{ kg/m}^3 \pm 100 \text{ kg/m}^3$) as substrate or any non-combustible substrate of Euroclasses A1 or A2-s1,d0 with a distance $\geq 40 \text{ mm}$,
with a ventilated cavity behind it, with horizontal and/or vertical joints,

Alfred-Möller-Straße 1
D-16225 Eberswalde

Fon +49 (0) 33 34. 65 560
Fax +49 (0) 33 34. 65 550

www.mpaew.de
office@mpaew.de

Geschäftsführer:
Dr. Peter Schumacher

HRB 10408 FF

produced by

**“SKLEJKA – PISZ” PAGED S.A., ul. Kwiatowa 1;
PL – 12-200 Pisz**

and produced in the manufacturing plant

**“SKLEJKA – PISZ” PAGED S.A., ul. Kwiatowa 1;
PL – 12-200 Pisz**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986:2004+A1:2015

under system 1 for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 06th November 2017 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the manufacturing conditions in the plant are not modified significantly and only with consideration in the annex 1 and 2 to this certificate and in the monitoring reports by the certification body given editions and references.

Eberswalde, 6th November 2017



Dr. rer. nat. R. Wegner
Head of the Certification Body

Sparkasse Schwandorf
Kto-Nr.: 100 164 862
BLZ: 750 510 40
IBAN: DE55 7505 1040 0100 1648 62
BIC-/SWIFT: BYLADEM1SAD
UST-Id. DE814335485
Finanzamt Eberswalde



Die Akkreditierung gilt nur für die in der Urkunde aufgeführten Verfahren.



Durch das Deutsche Institut für
Bautechnik anerkannt, PUZ-Stelle



EC notified 0763



CARB notified TPC 18